Mycologia	Mycologia
Pyrola uliginosa2:274, 300	Sidalcea nervata2:271
Radicula sinuata2:296	Sieversia turbinata6:251
Ranunculus Cymbalaria2:278	Silene Menziesii2:266
Ranunculus digitatus2:278	Sitanion californicum2:267, 268
Ranunculus Eschscholtzii2:278	Sitanion glaber2:283
Ranunculus nivalis Eschscholt-	Sitanion rigidum6:244
zii2:278	Smelowskia americana2:275
Ranunculus stenolobus2:278	Smelowskia calycina2:275
Ribes coloradense6:246	Senecio crassulus2:295
Ribes inebrians6:246	Senecio dispar2:282, 295
Ribes oxyacanthoides2:272	Senecio lugens2:295
Ribes saxosum2:272	Senecio triangularis2:295
Ribes vallicola2:272	Sieversia turbinata6:251
Rosa aciculata6:243	Solidago canadensis2:294
Rosa Fendleri6:—	Solidago mollis2:294
Rosa grosse-serrata2:275	Solidago pulcherrima2:294
Rosa Macounii2:275	Solidago pumila2:294
Rosa Maximiliana2:275	Solidago trinervata2:294
Rosa neomexicana6:243	Sophia incisa2:296
Rosa sp. nov6:243	Sophia sp2:271;6:241
Rubacer parviflorus6:248	Sphaeralcea arizonica6:245
Rubus parviflorus6:248	Sphaeralcea grossulariaefolia2:293
Salix chlorophylla2:273	Sphaeralcea marginale6:245
Salix cordata Watsonii2:273	Sphaeralcea Munroana2:293
Salix cordata lutea2:273	Sporobolus asperifolius2:269, 297
Salix exigua2:273	Sporobolus filiformis2:278, 295
Salix Fendleriana2:273	Stephanomeria minor2:284
Salix flavescens2:273	Stellaria borealis2:273
Salix glaucops6:242	Stellaria Curtisii6:240
Salix lasiandra Fendleriana2:273	Stipa comata6:245
Salix lasiandra caudata2:273	Stipa minor2:295, 296
Salix lutea2:273	Symphoricarpos rotundifolius2:270
Salix luteoscricea2:273	Symphoricarpos vaccinioides2:270
Salix monticola?6:242	Synthyris laciniata6:248
Salix Nuttallii2:273	Synthyris pinnatifida6:248
Salix pachnophora6:242	Taraxacum officinale2:296
Salix pentandra caudata2:273	Taraxacum taraxacum2:296
Salix phylicifolia2:272, 273	Taraxia subacaulis2:285
Salix schouleriana2:273	Tellima parviflora2:288
Salsola Tragus2:296	Tetraneuris leptoclada6:248
Sarcobatus vermiculatus6:245	Thalictrum Fendleri2:272
Saxifraga arguta2:290, 295	Thalictrum sparsiflorum
Saxifraga austromontana6:252	2:270, 272, 296
Saxifraga debilis6:243	Thlaspi coloradensis2:296
Saxifraga punctata2:285, 290	Thlaspi glaucum2:296, 298
Sedum debile2:293	Trautvetteria grandis6:241
Sedum stenopetalum6:251	Trifolium Parryi6:253
Sida hederacea2:288	Trifolium repens2:304

HIGH SCHOOL,

SALT LAKE CITY, UTAH.

# MYCOLOGIA

Mycologia	Mycologia
Trifolium scariosum6:253	Viola adunca6:244
Trisetum spicatum2:297	Viola blanda2:282
Trisetum subspicatum2:271;6:241	Viola canadensis6:245
Triticum vulgare2:269, 283	Viola longites2:299, 270
Troximon cuspidatum2:297	Viola Nuttallii2:270
Troximon gracilens2:297	Viola Rydbergii2:281
Troximon gracilens Greenei2:297	Viorna Jonesii6:—
Urtica gracilis2:277	Washingtonia divaricata2:290
Vaccinium caespitosum2:300	Washingtonia nuda2:290
Valeriana occidentalis 6:249	Washingtonia obtusa2:290
Veratrum speciosum2:298	Washingtonia occidentalis2:290
Veronica alpina6:249	Wyethia amplexicaulis2:299
Veronica Wormskjoldii6:249	Zauschneria Garrettii2:299
Vicia americana truncata2:301	Zea Mays2:268
Vicia oregana2:266, 301	Zygadenus paniculatus2:304
Vicia trifida2:301	

# ON A SMALL COLLECTION OF LICHENS FROM JAMAICA, WEST INDIES

R. HEBER HOWE, JR.

In April, 1909, at the request of Dr. Duncan S. Johnson, of Johns Hopkins University, the New York Botanical Garden forwarded to me a small collection of lichens collected by him on the island of Jamaica in 1903 and 1906.

At the time I worked over and prepared this list, I was unable to find any recently published list<sup>1</sup> of the lichen flora of Jamaica, but the publication of Dr. L. W. Riddle's list<sup>2</sup> has led me to publish this enumeration. For the advantage of comparison, this list follows Dr. Riddle's arrangement.

Two specimens of the genus *Cladonia* were sent to Prof. Bruce Fink for determination: and the crustose species to Dr. H. E. Hasse; the genus *Stereocaulon* was sent to Dr. Riddle who has also determined several other specimens. Acknowledgment is here most gratefully made.

#### Pyrenocarpeae

Pyrenula "Lichen No. 7. Goat Isd. IV-16-06." A composite specimen.

Pyrenula "no spores"; Porina sp. (?). Spores "28 × 8 μ." Anthracothecium Mass. "Lichen No. 4. Goat Isd. IV-16-06." One specimen spores "muriform, pale-brown," Determined by Dr. Hasse. Nos. 1, 6, 8, 11, 31, 32, 37, and 100 and labelled "Lichens" belong in other groups.

# CONJOCARPINEAE

Sphaerophorus compressus Ach. "Lichen No. 36. Sir John, V-1-06." One specimen determined by Prof. Fink.

<sup>1</sup> Swartz, Prod. 1788 and Flora Indiae Occidentalis, 1806.

<sup>2</sup> Riddle, Mycologia, 4: 125-140. 1912.

## GRAPHIDINEAE

Arthonia distendens Nyl. "Lichen No. 9 Goat Isd. (near Old Harbor), IV-16-06." The bark of this specimen supports several species, beside the above. Spores "40-60 × 24 μ, oblong and ovoid-oblong, colorless becoming light brown, 6-8 septate (7-9 locular) with several septations in longitudinal axis. Determined by Dr. Hasse. Other species present Arthonia radiata (Per.) Th. Fr. "no spores"; Microglaena "spores narrowly ellipsoid 23-32 × 10-14,4-7 μ septate and submuriform, decolorate becoming light brown"; Microthelia (?) thelena (Ach.) Mull. Arg. Spores "oblong-ellipsoid, 15-18 × 5-6 μ; Thelotrema (?) lepadinum Tuck. Spores "24-52 × 7-16 μ." Determined by Dr. Graphis "Lichens No. 5. John Crow Peak, IV-18-03." One specimen, "section Diplographis, but no spores seen." Determined by Dr. Hasse.

Chiodecton rubrocinctum Nyl. (=Ch. sanguineum (Sw.) Wain.) "Lichen No. 18. Clydesdale, IV-28-06." One specimen determined by Dr. Hasse.

Thelotrema (?) subtile Tuck., Determined by Dr. Hasse.

### CYCLOCARPINEAE

- Ocellularia alba (Feé) Müll. Arg. One specimen determined by Dr. Hasse. Spores "colorless roundish and ovoid-oblong, 3-4 septate."
- Baeomyces absolutus Tuck. "Lichen No. 16, near Vinegar Hill (Trees), IV-23-03" and "Lichen 48 on Eucalyptus Whitfield Hall Wks. IV-22-03." Two specimens determined by Dr. Hasse No. 48 "contains a Porina also."
- Cladonia rangiformis Hoffm. "Lichen No. 33, Cladonia sp.? Cinchona Hill, V-2-06." One specimen, determined by Prof. Bruce Fink.
- Cladonia rangiformis var. cubana Wain. "Lichen No. 45, Blue Mt. Peak, IV-20-03, Cladonia sp." One specimen determined by Prof. Fink.
- Cladonia didyma var. rugifera Wain. "Lichen No. 43, Cladonia sp. Clyde Valley, V-8-06." One specimen determined by Prof. Fink.

- Cladonia aggregata (Sw.) Ach. "Lichen 34, Cladonia sp.? Cinchona Hill, V-20-06." One specimen determined by Prof. Fink.
- Cladonia squamosa var. phyllocoma Rabenh. "Lichen 44, Cladonia sp. Clyde Valley, V-8-06." One specimen determined by Prof. Fink.
- Stereocaulon ramulosum (Sw.) Ach. "Lichen No. 13, Cladonia, sp. Rd. to Morce's Gap (?)." Specimen determined by Dr. Riddle, of which a part is now in his herbarium.
- Stereocaulon cornutum Müll. Arg. "Lichen No. 14, Morce's Gap, 03." One specimen determined by Dr. Riddle.
- Leptogium tremelloides (L.f.) Gray. "Lichens No. 2, New Haven Gap, IV-30-03," and "Lichen No. 30, Sir John, V-1-06." Two specimens. Spores  $28-32 \times 14 \,\mu$ . Determined by Dr. Riddle.
- Leptogium phyllocarpum (Pers.) Nyl. "Lichen No. 19," and "20. Cinchona Hill, IV–28–03." Two specimens. Spores 28– $40 \times 10$ – $18 \mu$ . Verified by Dr. Riddle.
- Leptogium "Lichen No. 3, Morce's Gap, IV-23-03." One sterile fragment is perhaps referable to some form of chloromelum (Sw.) Nyl.
- Pannaria (Parmeliella) pannosa (Sw.) Delis. "Lichen No. 38, Portland Gap, IV-16-06," and "Lichen No. 39, Cinchona Hill, IV-28-03." Two sterile specimens. Dr. Riddle refers a part of this material to P. Mariana var isideoidea Müll. Arg.; a part to P. rubiginosa (Thurb.) Del., but in the absence of apothecia it is thought best to refer both to Pannaria pannosa.
- Coccocarpia pellita (Ach.) Müll. Arg. "Lichen No. 10, Cinchona Hill, IV–25–06 (on soil)." One specimen spores  $8 \times 16 \mu$ . Verified by Dr. Riddle.
- Sticta Weigelli (Ach.) Wain. "Lichen No. 27, Cinchona Hill, IV-03." Determined by Dr. Riddle.
- Sticta damaecornis (Sw.) Ach. Nos. 15, 17, 21, 22, 23, 29, 35, 41, and 42. Nos. 29, 35, collected in "V-06," all other in "IV-03," and representing in all the following localities: Blue Mt., Cinchona Hill, New Haven Gap, Latimer River, and Sir John. The specimens exhibit the wide variation in form of thallus location shown by this species. The envelopes in which the spe-